## **CHAMPIONX**

## **ACPC19041A**

## Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ACPC19041A

Other means of identification : Not applicable.

Recommended use : SURFACTANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ChampionX LLC

11177 S. Stadium Drive Sugar Land, Texas 77478

USA

TEL: (281) 632-6500

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 04/23/2022

# Section: 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Acute toxicity (Dermal) : Category 3
Skin irritation : Category 2
Eye irritation : Category 2A
Specific target organ toxicity : Category 1 (Eyes)

- single exposure

Specific target organ toxicity : Category 3 (Central Nervous System)

- single exposure

#### **GHS Label element**

Hazard pictograms :









Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.

Harmful if swallowed.

Toxic in contact with skin or if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Causes damage to organs (Eyes).

Precautionary Statements : Prevention:

# **ACPC19041A**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ eye protection/ face protection.

## Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.IF exposed: Call a POISON CENTER or doctor/ physician.

Storage:

Store in a well-ventilated place.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

<u>Chemical Name</u>	<u>CAS-No.</u>	Concentration: (%)	
Methanol	67-56-1	30 - 60	
Ethoxylated 4-Nonylphenol	26027-38-3	10 - 30	
Ethoxylated Nonylphenol	9016-45-9	10 - 30	

## **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

# ACPC19041A

### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Carbon oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling

Avoid contact with skin and eyes. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

## **ACPC19041A**

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

## Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product.

The following glove types are recommended based on our review of glove

manufacturer information and/or other available sources.

butyl-rubber

Other glove types may be used for short term, incidental contact if determined

by testing to provide adequate worker protection.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne vapour and mist.

When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure. Use a particulate pre-filter where operations generate significant mists or

aerosols.

Recommended gas and vapour cartridge:

Multi-purpose combination filter

Methanol Warning! Protection provided by air purifying respirators is limited due

to methanol's ability to break through filter media and its poor warning

properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-

# ACPC19041A

facepiece SCBA or supplied-air respirator.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Liquid

Colour Light yellow Odour **Pungent** 

Flash point 26 °C, Method: ASTM D 93, Pensky-Martens closed cup

pΗ 6.9,(100 %), Method: ASTM E 70

Odour Threshold no data available

Melting point/freezing point POUR POINT: < -37 °C, ASTM D-97

Initial boiling point and boiling:

range

no data available

Evaporation rate no data available Flammability (solid, gas) Not applicable. Upper explosion limit no data available Lower explosion limit no data available

Vapour pressure > 110 mm Hg, (38 °C), ASTM D 323,

Relative vapour density no data available Relative density 0.96 - 1, (15.6 °C),

8 - 8.3 lb/gal Density

Water solubility completely soluble Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

: no data available Auto-ignition temperature Thermal decomposition no data available Viscosity, dynamic no data available

Viscosity, kinematic 103 mm2/s (15.6 °C), Method: ASTM D 445

Molecular weight no data available VOC no data available

## Section: 10. STABILITY AND REACTIVITY

# **ACPC19041A**

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

## Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

Eyes Causes serious eye irritation.

Skin Toxic in contact with skin. Causes skin irritation.

Ingestion May cause blindness if swallowed. Harmful if swallowed.

Inhalation Toxic if inhaled. Inhalation may cause central nervous system effects.

Chronic Exposure May cause damage to organs.

**Experience with human exposure** 

Eye contact Redness, Pain, Irritation

Skin contact Redness, Irritation

Ingestion No information available.

Inhalation Respiratory irritation, Cough, Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity Acute toxicity estimate: 329.1 mg/kg

Acute inhalation toxicity Acute toxicity estimate: 10 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute toxicity estimate: 965.87 mg/kg Acute dermal toxicity

Skin corrosion/irritation no data available Serious eye damage/eye

irritation

no data available

# **ACPC19041A**

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

## **Section: 12. ECOLOGICAL INFORMATION**

## **Toxicity**

Environmental Effects : Harmful to aquatic life with long lasting effects.

Components

Toxicity to fish : Methanol

LC50: 15,400 mg/l Exposure time: 96 h

Ethoxylated Nonylphenol LC50 Fish: 1.3 mg/l Exposure time: 96 h

Components

Toxicity to daphnia and other : Me

aquatic invertebrates

: Methanol

EC50 : > 10,000 mg/l Exposure time: 48 h

Components

Toxicity to algae : Methanol

EC50: 22,000 mg/l

Exposure time: 72 h

Components

Toxicity to bacteria : Methanol

> 1,000 mg/l

Components

Toxicity to fish (Chronic

: Methanol

toxicity)

NOEC: 7,900 mg/l Exposure time: 8.3 d

**Ethoxylated Nonylphenol** 

LC50: 1.3 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

## ACPC19041A

## Persistence and degradability

no data available

### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 10 - 30% Soil : 70 - 90%

The portion in water is expected to be soluble or dispersible.

## **Bioaccumulative potential**

no data available

#### Other information

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.

Technical name(s) : Methanol

# **ACPC19041A**

UN/ID No. : UN 1992 Transport hazard class(es) : 3, 6.1 Packing group : III

Reportable Quantity (per

package)

: 16,600 lbs

RQ Component : Methanol

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1992 Transport hazard class(es) : 3, 6.1 Packing group : III

Reportable Quantity (per

package)

: 16,600 lbs

RQ Component : Methanol

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1992 Transport hazard class(es) : 3, 6.1 Packing group : III

## **Section: 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Ethoxylated 4-Nonylphenol, Ethoxylated

Nonylphenol

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	16666

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

# ACPC19041A

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

<u>Components</u>	CAS-No.	Weight percent
Methanol	67-56-1	30 - 60 %
Ethoxylated 4-Nonylphenol	26027-38-3	10 - 30 %
Ethoxylated Nonylphenol	9016-45-9	10 - 30 %

California Prop. 65

▲ WARNING: Reproductive Harm - www.P65Warnings.ca.gov

Methanol 67-56-1

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## **United States TSCA Inventory**

On or in compliance with the active portion of the TSCA inventory.

## Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

On the inventory, or in compliance with the inventory.

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

### **China Inventory of Existing Chemical Substances**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).


### **Taiwan Chemical Substance Inventory**

On the inventory, or in compliance with the inventory.

# **Section: 16. OTHER INFORMATION**

# **ACPC19041A**

## NFPA:



### HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** : 04/23/2022

Version Number : 1.4

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.