CHAMPIONX

SCAL10035A

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SCAL10035A

Other means of identification : Not applicable.

Recommended use : SURFACTANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ChampionX LLC

11177 S. Stadium Drive Sugar Land, Texas 77478

USA

TEL: (281) 632-6500

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 04/29/2022

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1
Serious eye damage : Category 1

Specific target organ toxicity : Category 1 (Eyes)

- single exposure

Specific target organ toxicity : Category 3 (Central Nervous System)

- single exposure

GHS Label element

Hazard pictograms :









Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause drowsiness or dizziness. Causes damage to organs (Eyes).

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ protective

SCAL10035A

clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF exposed: Call a POISON CENTER or doctor/ physician.

Storage:

Store in a well-ventilated place.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Methanol	67-56-1	10 - 30
Oxyalkylate	Proprietary	10 - 30
Organic Salt	Proprietary	1 - 5
Substituted carboxylic acid salt	Proprietary	1 - 5
Trisodium Nitrilotriacetate	5064-31-3	0.1 - 1

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and symptoms.

SCAL10035A

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

> Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

High volume water jet

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Carbon oxides nitrogen oxides (NOx) metal oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling

Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on

SCAL10035A

clothing. Wash hands thoroughly after handling. Use only with adequate

ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Do not store near acids. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled

containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product.

The following glove types are recommended based on our review of glove

manufacturer information and/or other available sources.

butyl-rubber

Other glove types may be used for short term, incidental contact if determined

by testing to provide adequate worker protection.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne vapour and mist.

When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure. Use a particulate pre-filter where operations generate significant mists or

aerosols.

Recommended gas and vapour cartridge:

SCAL10035A

Multi-purpose combination filter

Methanol Warning! Protection provided by air purifying respirators is limited due to methanol's ability to break through filter media and its poor warning

properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-

facepiece SCBA or supplied-air respirator.

Handle in accordance with good industrial hygiene and safety practice. Remove Hygiene measures

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour colourless

Odour no data available

Flash point 32.2 °C, Method: Tag closed cup

рΗ 11.5 - 12.5, (undiluted)

Odour Threshold no data available Melting point/freezing point Pour point: -40 °C Initial boiling point and boiling:

range

no data available

no data available Evaporation rate Flammability (solid, gas) Not applicable. Upper explosion limit no data available Lower explosion limit no data available

Vapour pressure 96.5333 hPa, (37.8 °C),

Relative vapour density no data available

Relative density 0.9880 - 1.0180, (15.6 °C),

Density 0.9863 - 1.0163 g/cm3

Water solubility soluble

Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition no data available

Viscosity, dynamic 10 - 20 mPa.s (23.9 °C)

9.8 mm2/s (40 °C) Viscosity, kinematic

SCAL10035A

Molecular weight : no data available VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Strong acids

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx)

metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Harmful in contact with skin. Causes severe skin burns.

Ingestion : May cause blindness if swallowed. Harmful if swallowed. Causes digestive tract

burns.

Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation. Inhalation may

cause central nervous system effects.

Chronic Exposure : May cause damage to organs. Suspected of causing cancer.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

SCAL10035A

Acute oral toxicity : Acute toxicity estimate: 422.67 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 13.11 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 1,216 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity

IARC Group 2B: Possibly carcinogenic to humans

Trisodium Nitrilotriacetate 5064-31-3

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Components

Toxicity to fish : Methanol

LC50: 15,400 mg/l Exposure time: 96 h

Oxyalkylate

LC50 Fish: 1.3 mg/l Exposure time: 96 h

Organic Salt

LC50 Fish: 121 mg/l Exposure time: 96 h

Trisodium Nitrilotriacetate LC50 Fish: 114 mg/l

SCAL10035A

Exposure time: 96 h

Components

Toxicity to daphnia and other : Methanol

aquatic invertebrates

EC50 : > 10,000 mg/lExposure time: 48 h

Organic Salt

EC50 Daphnia magna (Water flea): 140 mg/l

Exposure time: 48 h

Substituted carboxylic acid salt EC50 Daphnia: > 500 mg/l Exposure time: 48 h

Components

Toxicity to algae : Methanol

EC50: 22,000 mg/l Exposure time: 72 h

Components

Toxicity to bacteria : Methanol

> 1,000 mg/l

Components

Toxicity to fish (Chronic

toxicity)

: Methanol

NOEC: 7,900 mg/l Exposure time: 8.3 d

Oxyalkylate LC50: 1.3 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

Trisodium Nitrilotriacetate

NOEC: > 54 mg/l Exposure time: 229 d

Species: Pimephales promelas (fathead minnow)

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

SCAL10035A

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Tetrasodium EDTA

UN/ID No. : UN 2924 Transport hazard class(es) : 3, 8 Packing group : III

Reportable Quantity (per

package)

: 21,848 lbs

RQ Component : Methanol

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Tetrasodium EDTA

UN/ID No. : UN 2924
Transport hazard class(es) : 3, 8
Packing group : III

Reportable Quantity (per : 21,848 lbs

package)

RQ Component : Methanol

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Tetrasodium EDTA

UN/ID No. : UN 2924 Transport hazard class(es) : 3, 8

SCAL10035A

Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export

notification requirements: Ethoxylated Nonylphenol

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	21848

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

<u>Components</u>	CAS-No.	Weight percent
Methanol	67-56-1	10 - 30 %
Ethoxylated Nonylphenol	9016-45-9	10 - 30 %

California Prop. 65

MARNING: Reproductive Harm - www.P65Warnings.ca.gov

Methanol 67-56-1

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On the inventory, or in compliance with the inventory.

Canadian Domestic Substances List (DSL)

This product contains substance(s) which are found on the Non-Domestic Substances List (NDSL).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

Not in compliance with the inventory

China Inventory of Existing Chemical Substances

On the inventory, or in compliance with the inventory.

SCAL10035A

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory

not determined

Korea. Korean Existing Chemicals Inventory (KECI)

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS)


not determined

Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 04/29/2022

Version Number : 1.5

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.