

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SICI11114A

Other means of identification : Not applicable.

Recommended use : CORROSION/SCALE INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ChampionX LLC
 11177 S. Stadium Drive
 Sugar Land, Texas 77478
 USA
 TEL: (281) 632-6500

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 06/16/2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 1 (Eyes)

Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.
 May be corrosive to metals.
 Harmful if swallowed, in contact with skin or if inhaled
 Causes skin irritation.
 Causes serious eye damage.
 May cause drowsiness or dizziness.
 Causes damage to organs (Eyes).

SAFETY DATA SHEET

SICI11114A

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ eye protection/ face protection.
Response:
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF exposed: Call a POISON CENTER or doctor/ physician.
Storage:
Store in a well-ventilated place.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Methanol	67-56-1	10 - 30
Amine phosphonate	Proprietary	5 - 10
Quaternary Ammonium Compound	Proprietary	5 - 10
Monoethanolamine Hydrochloride	2002-24-6	5 - 10
Amine Phosphonate 7, Ethanolamine Salt	Proprietary	5 - 10
Isopropanol	67-63-0	1 - 5
Oxyalkylate	Proprietary	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms : See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

SICI11114A

and effects, both acute and delayed

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide
Dry powder
Other extinguishing agent suitable for Class B fires
For large fires, use water spray or fog, thoroughly drenching the burning material.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Hazardous combustion products : Carbon oxides nitrogen oxides (NOx) Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire,

SAFETY DATA SHEET

SICI11114A

sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m ³	NIOSH REL
		STEL	250 ppm 325 mg/m ³	NIOSH REL
Isopropanol	67-63-0	TWA	200 ppm 260 mg/m ³	OSHA Z1
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		STEL	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product. The following glove types are recommended based on our review of glove manufacturer information and/or other available sources.
butyl-rubber
Other glove types may be used for short term, incidental contact if determined by testing to provide adequate worker protection.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

SAFETY DATA SHEET

SICI11114A

- Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to control airborne vapour and mist.
When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure. Use a particulate pre-filter where operations generate significant mists or aerosols.
Recommended gas and vapour cartridge:
Multi-purpose combination filter
Methanol Warning! Protection provided by air purifying respirators is limited due to methanol's ability to break through filter media and its poor warning properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-facepiece SCBA or supplied-air respirator.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : yellow
- Odour : no data available
- Flash point : 25.6 °C, Method: Pensky-Martens closed cup
- pH : 3.0 - 4.0, (undiluted)
- Odour Threshold : no data available
- Melting point/freezing point : Pour point: -31.7 °C
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : Not applicable.
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 1.0160 - 1.0660, (15.6 °C),
- Density : 1.0143 - 1.0642 g/cm³
- Water solubility : soluble
- Solubility in other solvents : no data available
- Partition coefficient: n- : no data available

SAFETY DATA SHEET

SICI11114A

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : 10 - 20 mPa.s (23.9 °C)
Viscosity, kinematic : 9.5 mm²/s (40 °C)
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Heat, flames and sparks.
Incompatible materials : Strong oxidizing agents
Hazardous decomposition products : In case of fire, hazardous decomposition products may be produced such as:
Carbon oxides
nitrogen oxides (NOx)
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.
Skin : Harmful in contact with skin. Causes skin irritation.
Ingestion : May cause blindness if swallowed. Harmful if swallowed.
Inhalation : Harmful if inhaled. Inhalation may cause central nervous system effects.
Chronic Exposure : May cause damage to organs.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion
Skin contact : Redness, Irritation
Ingestion : No information available.

SAFETY DATA SHEET

SICI11114A

Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: 461.39 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 13.71 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 1,370 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

Components

Toxicity to fish : Methanol
LC50: 15,400 mg/l
Exposure time: 96 h

Isopropanol
LC50 Pimephales promelas (fathead minnow): 9,640 mg/l
Exposure time: 96 h

Oxyalkylate
LC50 Fish: 1.3 mg/l
Exposure time: 96 h

Components

Toxicity to daphnia and other aquatic invertebrates : Methanol
EC50 : > 10,000 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

SICI11114A

Isopropanol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

Components

Toxicity to algae : Methanol
EC50 : 22,000 mg/l
Exposure time: 72 h

Components

Toxicity to bacteria : Methanol
> 1,000 mg/l

Isopropanol
1,050 mg/l

Components

Toxicity to fish (Chronic toxicity) : Methanol
NOEC: 7,900 mg/l
Exposure time: 8.3 d

Oxyalkylate
LC50: 1.3 mg/l
Exposure time: 96 h
Species: Lepomis macrochirus (Bluegill sunfish)

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

SAFETY DATA SHEET

SICI11114A

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
Technical name(s) : Methanol, Isopropanol
UN/ID No. : UN 1993
Transport hazard class(es) : 3
Packing group : III
Reportable Quantity (per package) : 23,214 lbs
RQ Component : Methanol

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
Technical name(s) : Methanol, Isopropanol
UN/ID No. : UN 1993
Transport hazard class(es) : 3
Packing group : III
Reportable Quantity (per package) : 23,214 lbs
RQ Component : Methanol

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
Technical name(s) : Methanol, Isopropanol
UN/ID No. : UN 1993
Transport hazard class(es) : 3
Packing group : III

*Marine pollutant : Cationic Condensate

* Note: This product is regulated as a Marine Pollutant when shipped by Rail or Highway (in bulk quantities), and when shipped by water in all quantities.

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: Oxyalkylate

SAFETY DATA SHEET

SICI11114A

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	23214

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Corrosive to metals
Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Methanol 67-56-1 20 - 30 %

California Prop. 65

 **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Methanol 67-56-1

INTERNATIONAL CHEMICAL CONTROL LAWS :

United States TSCA Inventory

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL)

All components of this product are on the Canadian DSL.

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

Not in compliance with the inventory

Australia. Industrial Chemical (Notification and Assessment) Act

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory

not determined

Korea. Korean Existing Chemicals Inventory (KECI)

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

not determined

SAFETY DATA SHEET

SICI11114A

China Inventory of Existing Chemical Substances


not determined

Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 06/16/2020
Version Number : 1.3
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.