CHAMPIONX

CORR16290FB

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

: CORR16290FB Product name

Other means of identification Not applicable.

Restrictions on use Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

ChampionX LLC Company

> 11177 S. Stadium Drive Sugar Land, Texas 77478

USA

TEL: (281) 632-6500

Emergency telephone

number

(800) 424-9300 (24 Hours) **CHEMTREC**

Issuing date 04/27/2022

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Category 3 Acute toxicity (Oral) Category 4 Acute toxicity (Inhalation) Category 3 Acute toxicity (Dermal) Category 4 Skin corrosion Category 1 Serious eye damage Category 1 Skin sensitization Category 1 Reproductive toxicity Category 2 Category 1 (Eyes)

Specific target organ toxicity

- single exposure

Specific target organ toxicity Category 3 (Central Nervous System)

- single exposure

Specific target organ toxicity Category 2 (Heart, Liver)

- repeated exposure

GHS Label element

Hazard pictograms











Signal Word Danger

Hazard Statements Flammable liquid and vapour.

> Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Toxic if inhaled.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

CORR16290FB

Causes damage to organs (Eyes).

May cause damage to organs (Heart, Liver) through prolonged or repeated exposure.

Precautionary Statements

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Storage:

Store in a well-ventilated place.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Methanol	67-56-1	10 - 30
Imidazoline salts	Proprietary	1 - 5
Quaternary ammonium compound	Proprietary	1 - 5
2-Mercaptoethanol	60-24-2	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

See Section 11 for more detailed information on health effects and symptoms.

CORR16290FB

delayed

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

CORR16290FB

with adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1
2-Mercaptoethanol	60-24-2	TWA	0.2 ppm	AIHA WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product.

The following glove types are recommended based on our review of glove

manufacturer information and/or other available sources.

butyl-rubber

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne vapour and mist.

When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure. Use a particulate pre-filter where operations generate significant mists or

aerosols.

Recommended gas and vapour cartridge:

Multi-purpose combination filter

Methanol Warning! Protection provided by air purifying respirators is limited due

to methanol's ability to break through filter media and its poor warning

CORR16290FB

properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-facepiece SCBA or supplied-air respirator.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : yellow
Odour : sulphurous

Flash point : 40 °C

pH : 4.7 - 6.7

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

range

Evaporation rate : no data available Flammability (solid, gas) : Not applicable.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 0.9702, (15.56 °C),

Density : 0.9675 g/cm3

Water solubility : soluble

Solubility in other solvents : no data available

Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature : no data available

Thermal decomposition : no data available
Viscosity, dynamic : no data available
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

CORR16290FB

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Harmful in contact with skin. Causes severe skin burns. May cause allergic skin

reaction.

Ingestion : May cause blindness if swallowed. Harmful if swallowed. Causes digestive tract

burns.

Inhalation : Toxic if inhaled. May cause nose, throat, and lung irritation. Inhalation may

cause central nervous system effects.

Chronic Exposure : Suspected of damaging fertility or the unborn child. May cause damage to

organs.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

CORR16290FB

Acute oral toxicity : Acute toxicity estimate: 433.46 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 0.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,268 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available

STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Components

Toxicity to fish : Methanol

LC50: 15,400 mg/l Exposure time: 96 h

2-Mercaptoethanol

LC50 Leuciscus idus (Golden orfe): 37 mg/l

Exposure time: 96 h

Components

Toxicity to daphnia and other

aquatic invertebrates

: Methanol

EC50 : > 10,000 mg/l Exposure time: 48 h

Quaternary ammonium compound

EC50 Daphnia magna (Water flea): 0.016 mg/l

Exposure time: 48 h

2-Mercaptoethanol

EC50 Daphnia magna (Water flea): 0.4 mg/l

Exposure time: 48 h

Components

CORR16290FB

Toxicity to algae : Methanol

EC50: 22,000 mg/l Exposure time: 72 h

2-Mercaptoethanol

EC50 Desmodesmus subspicatus (Scenedesmus

subspicatus): 19 mg/l Exposure time: 72 h

Components

Toxicity to bacteria : Methanol

> 1,000 mg/l

Components

Toxicity to fish (Chronic : Methanol

toxicity)

NOEC: 7,900 mg/l Exposure time: 8.3 d

Components

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: 2-Mercaptoethanol NOEC: 0.063 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

CORR16290FB

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Quaternary ammonium compound

UN/ID No. : UN 3286 Transport hazard class(es) : 3, 6.1, 8 Packing group : II

Reportable Quantity (per : 23,613 lbs

package)

RQ Component : Methanol

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Quaternary ammonium compound

UN/ID No. : UN 3286
Transport hazard class(es) : 3, 6.1, 8
Packing group : II

Reportable Quantity (per : 23,613 lbs

package)

RQ Component : Methanol

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

Technical name(s) : Methanol, Quaternary ammonium compound

UN/ID No. : UN 3286 Transport hazard class(es) : 3, 6.1, 8

Packing group : II

*Marine pollutant : Quaternary ammonium compound

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

^{*} Note: This product is regulated as a Marine Pollutant when shipped by Rail or Highway (in bulk quantities), and when shipped by water in all quantities.

CORR16290FB

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	23613

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitisation

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

ComponentsCAS-No.Weight percentMethanol67-56-110 - 30 %

California Prop. 65

MARNING: Reproductive Harm - www.P65Warnings.ca.gov

Methanol 67-56-1


INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On the inventory, or in compliance with the inventory.

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 04/27/2022

CORR16290FB

Version Number : 1.4

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.