

# MISC17600A

# Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MISC17600A

Other means of identification : Not applicable.

Recommended use : SURFACTANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : ChampionX LLC

11177 S. Stadium Drive Sugar Land, Texas 77478

USA

TEL: (281) 632-6500

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 06/17/2020

# **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 3
Eye irritation : Category 2A
Specific target organ toxicity : Category 1 (Eyes)

- single exposure

Specific target organ toxicity

- single exposure

Category 3 (Central Nervous System)

#### **GHS Label element**

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.

Harmful if swallowed or if inhaled

Toxic in contact with skin.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Causes damage to organs (Eyes).

Precautionary Statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use

# MISC17600A

explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

#### Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/ physician. Rinse mouth. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 Methanol
 67-56-1
 10 - 30

 Oxyalkylate
 Proprietary
 10 - 30

### **Section: 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and symptoms.

# MISC17600A

### **Section: 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations. Vapours can

accumulate in low areas.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Special protective equipment :

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

# Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Take necessary action to avoid static

electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with

adequate ventilation.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated

place. Keep away from oxidizing agents. Keep out of reach of children. Keep

# MISC17600A

container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		STEL	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

# Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear impervious chemical-resistant gloves when handling this product.

The following glove types are recommended based on our review of glove

manufacturer information and/or other available sources.

butyl-rubber

Other glove types may be used for short term, incidental contact if determined

by testing to provide adequate worker protection.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne vapour and mist.

When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure. Use a particulate pre-filter where operations generate significant mists or

aerosols.

Recommended gas and vapour cartridge:

Multi-purpose combination filter

Methanol Warning! Protection provided by air purifying respirators is limited due

to methanol's ability to break through filter media and its poor warning

properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-

facepiece SCBA or supplied-air respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

# MISC17600A

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : yellow

Odour : slight, Sweet

Flash point : 29.4 °C, Method: Tag closed cup

pH : 8.0 - 9.0, (undiluted)
Odour Threshold : no data available

Melting point/freezing point : Pour point: -40 °C Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Relative density : 0.9558 - 0.9858, (15.6 °C),

no data available

Density : 0.9542 - 0.9841 g/cm3

Water solubility : soluble

Solubility in other solvents : no data available

Partition coefficient: n- : no data available

octanol/water

Relative vapour density

Auto-ignition temperature : no data available
Thermal decomposition : no data available

Viscosity, dynamic : 5 - 15 mPa.s (23.9 °C)
Viscosity, kinematic : 6.8 mm2/s (40 °C)
Molecular weight : no data available
VOC : no data available

### Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

# MISC17600A

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

# Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Causes serious eye irritation.

Skin Toxic in contact with skin. May cause numbness, weakness, shooting pain in

stomach and/or extremities, and blindness.

Harmful if swallowed. May cause numbness, weakness, shooting pain in Ingestion

May cause damage to organs.

stomach and/or extremities, and blindness.

Inhalation Harmful if inhaled. Inhalation may cause central nervous system effects. May

cause numbness, weakness, shooting pain in stomach and/or extremities, and

blindness. High vapor concentrations can cause headaches, dizziness, drowsiness, and nausea and may lead to unconsciousness.

# **Experience with human exposure**

Chronic Exposure

Eye contact : Redness, Pain, Irritation

Skin contact No information available.

Ingestion No information available.

Inhalation Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity Acute toxicity estimate: 324.88 mg/kg

Acute inhalation toxicity Acute toxicity estimate: 10.05 mg/l

> Exposure time: 4 h Test atmosphere: vapour

Acute toxicity estimate: 925.32 mg/kg Acute dermal toxicity

# MISC17600A

Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available

Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

# **Section: 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Environmental Effects : Harmful to aquatic life with long lasting effects.

Components

Toxicity to fish : Methanol

LC50: 15,400 mg/l Exposure time: 96 h

Oxyalkylate

LC50 Fish: 1.3 mg/l Exposure time: 96 h

Components

Toxicity to daphnia and other

aquatic invertebrates

: Methanol

EC50 : > 10,000 mg/l Exposure time: 48 h

Components

Toxicity to algae : Methanol

EC50: 22,000 mg/l Exposure time: 72 h

Components

Toxicity to bacteria : Methanol

> 1,000 mg/l

Components

Toxicity to fish (Chronic

toxicity)

: Methanol

NOEC: 7,900 mg/l Exposure time: 8.3 d

# MISC17600A

Oxyalkylate LC50: 1.3 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

### Persistence and degradability

no data available

**Mobility** 

no data available

#### **Bioaccumulative potential**

no data available

#### Other information

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

#### Land transport (DOT)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : III

Reportable Quantity (per : 16,756 lbs

# MISC17600A

package)

RQ Component : Methanol

Air transport (IATA)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3 Packing group : III

Reportable Quantity (per

package)

: 16,756 lbs

RQ Component : Methanol

Sea transport (IMDG/IMO)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

Technical name(s) : Methanol UN/ID No. : UN 1993

Transport hazard class(es) : 3
Packing group : III

# **Section: 15. REGULATORY INFORMATION**

TSCA list : Not relevant

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	16756

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Specific target organ toxicity (single or repeated exposure)

Acute toxicity (any route of exposure) Serious eye damage or eye irritation

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Methanol 67-56-1 29.8401 %

California Prop. 65

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

Methanol 67-56-1

# MISC17600A

#### **INTERNATIONAL CHEMICAL CONTROL LAWS:**

### **United States TSCA Inventory**

On TSCA Inventory

# Canadian Domestic Substances List (DSL)

All components of this product are on the Canadian DSL.

# Australia. Industrial Chemical (Notification and Assessment) Act

On the inventory, or in compliance with the inventory

# New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand


Not in compliance with the inventory

# **China Inventory of Existing Chemical Substances**

Not in compliance with the inventory

# **Section: 16. OTHER INFORMATION**





# HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 06/17/2020

Version Number : 1.2

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.