

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : CORR11565A

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : ChampionX LLC  
 11177 S. Stadium Drive  
 Sugar Land, Texas 77478  
 USA  
 TEL: (281) 632-6500

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 04/24/2022

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 1 (Eyes)

Specific target organ toxicity - repeated exposure : Category 2 (Heart, Liver)

**GHS Label element**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.  
 Harmful if swallowed.  
 Causes severe skin burns and eye damage.  
 May cause an allergic skin reaction.  
 Suspected of damaging fertility or the unborn child.  
 Causes damage to organs (Eyes).  
 May cause damage to organs (Heart, Liver) through prolonged or repeated exposure.

# SAFETY DATA SHEET

**CORR11565A**

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
**Storage:**  
Store in a well-ventilated place.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Concentration: (%)</u>
Methanol	67-56-1	10 - 30
Glycerol	56-81-5	5 - 10
Organic acid amine salt	Proprietary	5 - 10
Quaternary ammonium compounds	Proprietary	5 - 10
Fatty acid-amine condensate	Proprietary	1 - 5
2-Mercaptoethanol	60-24-2	1 - 5

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

# SAFETY DATA SHEET

**CORR11565A**

## Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam  
Carbon dioxide  
Dry powder  
Other extinguishing agent suitable for Class B fires  
For large fires, use water spray or fog, thoroughly drenching the burning material.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides  
nitrogen oxides (NOx) Sulphur oxides Hydrogen chloride
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

## Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

# SAFETY DATA SHEET

**CORR11565A**

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m <sup>3</sup>	NIOSH REL
		STEL	250 ppm 325 mg/m <sup>3</sup>	NIOSH REL
Glycerol	56-81-5	TWA	200 ppm 260 mg/m <sup>3</sup>	OSHA Z1
		TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z1
2-Mercaptoethanol	60-24-2	TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z1
		TWA	0.2 ppm	AIHA WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product. The following glove types are recommended based on our review of glove manufacturer information and/or other available sources.  
butyl-rubber  
Other glove types may be used for short term, incidental contact if determined by testing to provide adequate worker protection.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to control airborne vapour and mist.  
When significant vapours are generated, an approved air purifying respirator is recommended to supplement other control measures for short term exposure.

# SAFETY DATA SHEET

**CORR11565A**

Use a particulate pre-filter where operations generate significant mists or aerosols.

Recommended gas and vapour cartridge:

Multi-purpose combination filter

Methanol Warning! Protection provided by air purifying respirators is limited due to methanol's ability to break through filter media and its poor warning properties. For prolonged exposures, entry into unknown environments or where methanol is suspected to exceed exposure limits, use a positive pressure, full-facepiece SCBA or supplied-air respirator.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear light yellow to amber

Odour : amine-like

Flash point : 41 °C, Method: ASTM D 56

pH : 9

Odour Threshold : no data available

Melting point/freezing point : Pour point: -21 °C, ASTM D-97

Initial boiling point and boiling range : 84 °C, Method: ASTM D 86

Evaporation rate : no data available

Flammability (solid, gas) : Not applicable.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : 207.5 hPa, ASTM D 5191,

Relative vapour density : no data available

Relative density : 1.0326, (20 °C),

Density : 1.0323 g/cm<sup>3</sup>

Water solubility : dispersible

Solubility in other solvents : no data available

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Thermal decomposition : no data available

## SAFETY DATA SHEET

**CORR11565A**

Viscosity, dynamic : no data available  
Viscosity, kinematic : 8 mm<sup>2</sup>/s (15.6 °C)  
Molecular weight : no data available  
VOC : no data available

### Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : In case of fire, hazardous decomposition products may be produced such as:  
Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Hydrogen chloride

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.  
Skin : Causes severe skin burns. May cause allergic skin reaction.  
Ingestion : May cause blindness if swallowed. Harmful if swallowed. Causes digestive tract burns.  
Inhalation : May cause nose, throat, and lung irritation.  
Chronic Exposure : Suspected of damaging fertility or the unborn child. May cause damage to organs.

#### Experience with human exposure

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

# SAFETY DATA SHEET

**CORR11565A**

## Toxicity

### Product

Acute oral toxicity	:	Acute toxicity estimate: 742.01 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 24.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	Acute toxicity estimate: 2,242 mg/kg
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	no data available
Reproductive effects	:	no data available
Germ cell mutagenicity	:	no data available
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	no data available

## **Section: 12. ECOLOGICAL INFORMATION**

## Toxicity

Environmental Effects : Toxic to aquatic life with long lasting effects.

### **Components**

Toxicity to fish	:	Methanol LC50: 15,400 mg/l Exposure time: 96 h
	:	Glycerol LC50 Fish: 855 mg/l Exposure time: 96 h
	:	2-Mercaptoethanol LC50 Leuciscus idus (Golden orfe): 37 mg/l Exposure time: 96 h

### **Components**

Toxicity to daphnia and other aquatic invertebrates	:	Methanol EC50 : > 10,000 mg/l Exposure time: 48 h
	:	Quaternary ammonium compounds EC50 : 0.47 mg/l

# SAFETY DATA SHEET

**CORR11565A**

2-Mercaptoethanol  
EC50 *Daphnia magna* (Water flea): 0.4 mg/l  
Exposure time: 48 h

## Components

Toxicity to algae : Methanol  
EC50 : 22,000 mg/l  
Exposure time: 72 h

Quaternary ammonium compounds  
NOEC : 0.009 mg/l

2-Mercaptoethanol  
EC50 *Desmodesmus subspicatus* (*Scenedesmus subspicatus*): 19 mg/l  
Exposure time: 72 h

## Components

Toxicity to bacteria : Methanol  
> 1,000 mg/l

## Components

Toxicity to fish (Chronic toxicity) : Methanol  
NOEC: 7,900 mg/l  
Exposure time: 8.3 d

Fatty acid-amine condensate  
LC50: 71 mg/l  
Exposure time: 96 d

## Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Fatty acid-amine condensate  
EC50: 105 mg/l  
Exposure time: 48 d

2-Mercaptoethanol  
NOEC: 0.063 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

## Persistence and degradability

no data available

## Mobility

no data available

## Bioaccumulative potential

no data available



# SAFETY DATA SHEET

**CORR11565A**

## Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

### Land transport (DOT)

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
Technical name(s) : Quaternary ammonium compounds, Methanol  
UN/ID No. : UN 2920  
Transport hazard class(es) : 8, 3  
Packing group : II  
Reportable Quantity (per package) : 47,355 lbs  
RQ Component : Methanol

### Air transport (IATA)

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
Technical name(s) : Quaternary ammonium compounds, Methanol  
UN/ID No. : UN 2920  
Transport hazard class(es) : 8, 3  
Packing group : II  
Reportable Quantity (per package) : 47,355 lbs  
RQ Component : Methanol

### Sea transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
Technical name(s) : Quaternary ammonium compounds, Methanol

# SAFETY DATA SHEET

**CORR11565A**

UN/ID No. : UN 2920  
Transport hazard class(es) : 8, 3  
Packing group : II

\*Marine pollutant : Quaternary ammonium compounds

\* Note: This product is regulated as a Marine Pollutant when shipped by Rail or Highway (in bulk quantities), and when shipped by water in all quantities.

## Section: 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	47355

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
Methanol	67-56-1	10 - 30 %

#### California Prop. 65

 **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Methanol	67-56-1
----------	---------

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### United States TSCA Inventory


On or in compliance with the active portion of the TSCA inventory.

## Section: 16. OTHER INFORMATION

# SAFETY DATA SHEET

**CORR11565A**

## NFPA:



## HMIS III:

<b>HEALTH</b>	<b>3*</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 04/24/2022  
Version Number : 1.3  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.